Index to Scientific Name

(New taxonomic names are marked in bold)

Aconitum chasmanthum, 9, 16
Actinidiaceae, 157
Adina cordifolia, 73
Agaricus antillarum, 163
Allium humile, 9, 16
Allium jacquemontii, 9, 16
Alpinia fax, 204
Ampelopsis brevipedunculata var. *hancei*, 152, 155, 157
Anellaria antillarum, 163
Anemone obtusiloba, 9, 16
Anemone tschernjaewii, 54, 56
Angellica glauca, *9*, *16*
Anogeissus latifolia, 73
Apocynaceae, 39, 157
Aquilegia fragrance, 9, 16
Araceae, 1
Araliaceae, 157
Argyreia akoensis, 117, figs. 2–5
Argyreia formosana, 117, 118, 121
Argyreia mollis, 118, 121
Argyreia nervosa, 118, 121
Argyreia sumbawana, 118, 121
Aristolochia shimadai, 152, 153, 156
Aristolochia zollingeriana, 152, 153, 156
Aristolochiaceae, 152, 153, 157
Artemisia roxburghiana, 9, 16
Asclepiadoideae, 39, 157
Asparagaceae, 86
Aster falconeri, 9, 16
Asteraceae, 152, 153, 157
Balsaminaceae, 175
Barbarea intermedia, 9, 16
Bauhinia variegata, 73
Begonia grandis, 49, 50
Begonia grandis ssp. *holostyla*, 50
Begonia grandis ssp. *sinensis*, 50
Begoniaceae, 49, 157
Bidens pilosa, 194
Bidens pilosa var. *minor*, 194
Bidens pilosa var. *radiata*, 194
Cactaceae, 157
Carex fluviatilis, 203
Carex longicruris, 203
Carex teinogyna, 203
Carex thomsonii, 204
Carex vulpinaris, 204
Carum carvi, 9, 16
Caseaseria tomentosa, 73
Cassia fistula, 73
Caulokaempferia pubescens, 77, figs 1 & 2
Celastraceae, 91, 152, 153, 157
Celastrus kusanoi, 152, 153,156
Cerastium ceratoides, 9, 16
Cleisostoma arietinum, 108
Cleisostoma aspersum, 108
Cleisostoma birmanicum, 108
Cleisostoma chantaburiense, 108
Cleisostoma chapaense, 108
Cleisostoma crochetii, 108
Cleisostoma discolor, 108
Cleisostoma duplicilobum, 108
Cleisostoma equestre, 108
Cleisostoma filiforme, 108
Cleisostoma flavescens, 108
Cleisostoma fuerstenbergianum, 108
Cleisostoma inflatum, 108
Cleisostoma lecongkietii, 113, figs. 5 & 6 A–C.
Cleisostoma lendyanum, 108
Cleisostoma linearilobatum, 108
Cleisostoma melanorachis, 108
Cleisostoma paniculatum, 108
Cleisostoma phitamii, 111, figs. 3 & 4
Cleisostoma racemiferum, 108
Cleisostoma rostratum, 108
Cleisostoma scortechinii, 108
Cleisostoma simondii, 108
Cleisostoma striatum, 108
Cleisostoma subulatum, 108, 115
Cleisostoma subulifolium, 108
Cleisostoma tricornutum, 108, figs. 1D–H & 2.
Cleisostoma williamsonii, 108
Cleisostoma, 108
Clematis crassifolia, 152, 155, 156
Clematis grata, 152, 155, 156
Clematis tamura, 152, 155, 156
Clusiaceae, 148
Complicata, 108
Conocybe nitrophila, 168
Conocybe lactea, 168
Conocybe nigrescens, 168
Conocybe nitrophila, 166
Conocybe pilosella, 168
Conocybe pseudocrispa, 168
Conocybe rickenii, 168
Conocybe tetrasporoides, 168
Conocybe velutipes, 166, 168
Convolvulaceae, 117
Cordia dichotoma, 73
Corydalis govaniana, 9, 16
Cucurbitaceae, 152, 153, 157
Cyclea ochiaiana, 152, 153, 157
Dilleniaceae, 157
Diploclinium, 49
Draba afghanica, 9, 16
Echinoglossa, 108
Ehretia laevis, 73
Elatostema acuteserratum, 28, 32

臺灣大學學術期刊資料庫

Elatostema cyrtandrifolium, 28, 32
Elatostema edule, 32
Elatostema garrettii, 32
Elatostema grande, 32
Elatostema herbaceifolium, 28, 32
Elatostema hirtellipedunculatum, 32
Elatostema hypoglaucum, 32
Elatostema insulare, 32
Elatostema japonicum, 32
Elatostema lineolatum var. majus, 32
Elatostema microcephalanthum, 29, 32
Elatostema multicanaliculatum, 30, 32
Elatostema oblongifolium, 30, 32
Elatostema obtusum, 32
Elatostema parvum, 32
Elatostema platyphylloides, 30
Elatostema platyphyllum, 30, 32
Elatostema rivulare, 32
Elatostema strigillosum, 32
Elatostema subcoriaceum, 32
Elatostema trilobulatum, 32
Elatostema villosum, 32
Elatostema yakushimense, 32
Elatostema yonakuniense, 29, 32
Elatostema, 23
Ensete glaucum, 99, 103
Ensete superbum, 99, 103
Epilobium laxumn, 9, 16
Epipactis fascicularis, 169, figs. 1 & 2A & B
Epipactis ohwii, 170
Ficus benghalensis, 73
Fissidens anomalus, 137, 138
Fissidens bryoides, 137, 138
Fissidens crispulus, 137, 139
Fissidens dubius, 137, 139
Fissidens elongatus, 137, 139
Fissidens gardneri, 137, 139
Fissidens jungermannioides, 137, 140
Fissidens nobilis, 137, 140
Fissidens obscurus, 137, 140
Fissidens pellucidus, 137, 140
Fissidens polypodioides, 137, 141
Fissidens pulchellus, 137, 141
Fissidens taxifolius, 137, 141
Fisssidentaceae, 137
Flacourtia indica, 73
Garcinia imberti, 148
Gastrochilopsis, 111
Gentiana carinata, 9, 16
Gentiana incompta, 208, 209
***Gentiana kurumbae*, 82,** figs. 1 & 2
Gentiana macrauchena, 208, 209
Gentiana pedicellata var. *wightii*, 81, 84
Gentiana quadrifaria var. *zeylanica*, 81, 84
Gentianaceae, 81, 208
Gesneriaceae, 43
Guedea lantania, 140, figs. 1 & 2A-C
Guedea novae-zelandiae, 144, 145
Guedea ovata, 144, 145
Guedea sacra, 144, 145
Hippocrateaceae, 157
Hoya rostellata, 39, fig. 1 & 2
Hoya siamica, 42
Hypholoma fasciculare, 168
Icacinaceae, 157
Impatiens gadellae, 175, figs. 1 & 2
Impatiens nurae, 177, figs 3 & 4
Ipomoea harmandii, 118, 121
Isoetes dixitei, 63
Isthmotricladia gombakiensis, 145
Ixora longibracteata, 95, 96
Lardizabalaceae, 152, 153, 157
Listera nankomontana, 171, 172
Litsea glutinosa, 73
Loranthaceae, 123
Mallotus philippensis, 73
Malva neglecta, 9, 16
Marcgraviaceae, 157
Markhamia stipulata* var. *canaense, 129, figs. 1 & 2
Markhamia stipulata var. *pierrei*, 131, 132
Melaspilea amarkantakensis, 18, figs. 1. A–G &2
Melaspilea insitiva, 21
Melaspileaceae, 18
Menispermaceae, 152, 153, 157
Miguelia annamica, 34
Miguelia cruenta, 36, figs. 2 & 3
Miguelia shenzhenica, 34
Miguelia somae, 34
Miguelia, 33
Miliusa velutina, 73, 73
Minuratia kashmerica, 9, 16
Misodendraceae, 157
Mitriformia, 108
Monolophus, 80
Musa insularimontana, 133
Musa itinerans var. *annamica*, 133
Musa itinerans var. *chinensis*, 133
Musa itinerans* var. *chiumei, 133, fig. 1
Musa itinerans var. *guangdongensis*, 133
Musa itinerans var. *hainanensis*, 133
Musa itinerans var. *itinerans*, 133
Musa itinerans var. *kavanlanensis*, 133
Musa itinerans var. *lechangensis*, 133
Musa itinerans var. *xishuangbannensis*, 133
Musa itinerans, 133
Musa yamienesis, 133
Musaceae, 99
Mycena galericulata, 168
Myrtaceae, 59
Neoalsomitra integrifolia, 152, 153, 157
Neottia piluchiensis, 169, figs. 3 & 4A
Ophiopogon griffithii, 86

臺灣大學學術期刊資料庫

Orchidaceae, 33, 107, 169
Ougeinia oojeinensis, 73
Oxytropis lapponica, 9, 16
Panaeolina foenisecii, 168
Panaeolus acuminatus, 168
Panaeolus antillarum, 163, 168
Panaeolus fimicola, 168
Paniculata, 108
Passifloraceae, 157
Pedicularis albida, 9, 17
Peliosanthes irinae, 87, fig. 2
Peliosanthes sinica, 89
Pellionia bodinieri, 30
Pellionia minima, 32
Pellionia radicans, 32
Pellionia scabra, 32
Pericampylus glaucus, 152, 155, 156
Phleum alpinum, 9, 17
Pilea japonica, 32
Pilearia, 108
Piper kwashoense, 152, 155, 156
Piperaceae, 152, 155, 157
Platanthera nantousylvatica, 173, figs. 2 E, F, G & 5
Primula involucrata, 9, 17
Primula rosea, 9, 17
Primulina beiliuensis var. *beiliuensis*, 46
Primulina beiliuensis var. ***fimbribracteata***, 43, figs. 1 & 2
Procris cyrtandrifolia, 28
Protostropharia alcis var. *alcis*, 163
Protostropharia alicis var. *austrobrasiliensis*, 163
Protostropharia ovalispora, 162, figs. 2A, 3
Protostropharia semiglobata, 168
Psilocybe angulospora, 165, figs. 2C, 5
Psilocybe antillarum, 163
Psilocybe cf. fasciata, 168
Psilocybe hispanica, 168
Psilocybe mexicana, 168
Psilocybe pelliculosa, 168
Psilocybe semilanceata, 168
Psilocybe stuntzii, 168
Pterogyne, 113
Ranunculaceae, 152, 155, 157
Remusatia vivipara, 1
Rhizophora × *annamalayana*, 183, 185, 186, 189, 190
Rhizophora × *lamarckii*, 183, 185, 186, 189, 190
Rhizophora apiculata, 185, 186, 189, 190
Rhizophora mucronata, 185, 186, 189, 190
Rhizophora stylosa, 185, 186, 189, 190
Rhizophoraceae, 183
Rhododendron anthoopgan, 9, 17
Rubiaceae, 95
Salacia macrosperma, 92
Salacia wayanadica, 91, figs. 1,2
Schisandraceae, 157
Scleria neesii *var.* ***gadchiroliensis***, 181, figs. 2 & 3
Scruphularia lucida, 9, 17
Scurrula paramjitii, 123, figs. 1 & 2
Scurrula parasitica, 124, 127
Shorea robusta, 73
Stauntonia obovatifoliola, 152, 153, 157

From Editorial Office

It has been a year of change for our editorial board, as we have a major editorial team change. Mr. Kuo-Hsiung Wang is the new managing editor and has tried hard to keep the editorial manners on track. We thank all the editorial board members and the reviewers for their great contribution.

In the coming year, we will have two Editor-in-Chief, including Dr. Wen-Yuan Kao and myself. Dr. Kao is from the Institute of Ecology and Evolutionary Biology at National Taiwan University (IEEB, NTU), and will share the responsibility and strengthen our editorial team with her expertise on ecology related subjects. Meanwhile, Drs. Chau-Ti Ting and Kuo-Fang Chung will step down from associate editors. I would like to thank them for their work and support to our journal during their term of services. I would also like to welcome Drs. Yu-Teh Kirk Lin and Tsung-Yu Aleck Yang, to join our team as the new associate editors. Kirk is a distinct ecologist also from the IEEB, who work on small mammals and also various ecological subjects. Aleck is a renowned plant taxonomist from National Museum of Natural Science, Taiwan. I believe we can benefit from their expertise to make Taiwania a better journal.

At last, here on behalf of the editorial board, I would like to express my condolences to Dr. Chu-Yung Lin. Dr. Lin is a great plant physiologist and our former editor-in-Chief, who had been a great supporter to our journal, passed away on Oct. 23, 2015. It is a great loss to the science society, and his families and friends. May he rest in peace, and those dear to him stay strong.

Jer-Ming Hu
Editor-in-Chief

臺灣大學學術期刊資料庫